



2012

**LFA**

WARRANTY AND SERVICES GUIDE

## **AUTHORIZED DEALERSHIP MAINTENANCE AND REPAIRS**

Lexus recommends having maintenance and repairs for your vehicle performed by an authorized Lexus dealership. To locate your nearest authorized Lexus dealership, log on to **[www.lexus.com](http://www.lexus.com)** or contact Lexus Customer Satisfaction at (800) 255-3987.

From everyone at Lexus, thank you for purchasing one of our vehicles. Your Lexus is designed to deliver uncompromising luxury and performance. We are committed to providing you with an ownership experience that is second to none, and we look forward to serving you in the years ahead. Welcome to the Lexus family!

### **Taking Delivery of Your New Lexus**

As you take delivery of your new vehicle, there are some important services you should know about. These include:

**Quality Control:** You may have noticed a few miles on the odometer when you took delivery of your LFA. This mileage is a result of the comprehensive process used to ensure the quality of your vehicle. This process includes extensive inspections during and after production and a road test at the Motomachi test track. The final inspection takes place at the selling dealership and includes a road test conducted by a trained Lexus technician. If you'd like to know more about Lexus quality-control procedures, please consult your Lexus dealer.

**Scheduled Maintenance:** Your vehicle requires regular maintenance to obtain the highest level of performance, safety and reliability. See pages 44-73 for complete information on factory-recommended maintenance.

**Dealership Service Department:** Your service department is committed to helping you keep your Lexus performing at its best. Your dealer will provide you with the department's hours of operation, appointment procedures and information on any special services.

**Warranty Coverage:** Your Lexus is covered by one of the finest warranties in the industry. See page 19 for a summary of coverages.

**Roadside Assistance:** Roadside assistance is provided for 48 months from your vehicle's in-service date, regardless of mileage. See page 10 for details.

Again, thank you for choosing Lexus. We wish you many years of safe and pleasurable driving.





TABLE OF CONTENTS

THINGS TO NOTE

Ground Clearance ..... 6

Brakes ..... 6

Washing and Cleaning ..... 7

Lifting the Wiper ..... 7

Premium Master Key ..... 7

Service and Repair Parts ..... 8

In the Event of a Collision ..... 8

OWNER AMENITIES

Loaner Vehicle ..... 10

Travel Protection ..... 10

Roadside Assistance ..... 10

Vehicle Service History ..... 11

Replacement Keys ..... 11

WARRANTY INFORMATION

Introduction

If You Need Assistance ..... 13

The Lexus Commitment ..... 18

Warranty Coverages at a Glance ..... 19

## **Your Warranties in Detail**

General Warranty Provisions .....	20
New Vehicle Limited Warranty .....	22
Federal Emission Control Warranty .....	26
California Emission Control Warranty .....	32
Tire Limited Warranty .....	39

## **Your Responsibilities**

Operation and Maintenance .....	40
Obtaining Warranty Service .....	42

# **MAINTENANCE INFORMATION**

## **Introduction**

The Importance of Scheduled Maintenance .....	44
Maintenance and Lexus Warranty Coverage .....	45
Lexus Dealership Service .....	46
Regular Inspections and Use .....	47

## **How to Use the Maintenance Schedule**

Maintenance Schedule Basics .....	48
What Maintenance Should Be Performed .....	49

## **Maintenance Schedule**

Recommended Maintenance By Interval .....	52
Notes on Selected Maintenance Items .....	72


<b>Vehicle Identification</b> .....	76
-------------------------------------	----

The Lexus LFA is designed and built like no other car in the world. Because of the unique nature of this model, you should be aware of certain characteristics and precautions during your ownership and operation of the vehicle. Key information is described here.

For further details on operating and maintaining your vehicle, refer to the *Owner's Manual* and the publication entitled *Inside the LFA* (both found in your glove compartment) as well as the remaining information in this booklet.

## Ground Clearance

Keep in mind the LFA's limited ground clearance when operating or transporting the vehicle. See illustration below.



**Note:** All figures may vary depending on how vehicle is equipped.

## Brakes

Because the LFA uses carbon ceramic material (CCM) brake discs with high-friction pads, you may hear the brakes operating (e.g., a rubbing or squealing sound). This is normal and does not indicate a malfunction.

Moderate wear to the LFA's brake pads and discs allows enhanced braking power. As a result, the brake discs on the LFA may wear more quickly than conventional brake discs. When replacing the brake pads, you should also have the thickness of the discs measured. It is dangerous to drive the vehicle when wear limits of the brake pads and/or discs have been exceeded.

**Note:** If "BRAKE PAD WEAR" is displayed on the meter, the pads should be replaced. The brake discs may be damaged if the pads are not replaced when needed.



## Carbon Ceramic Material (CCM) Brake Discs

Be careful not to subject the CCM brake discs to any kind of strong impact. Even if there is no obvious damage, have the vehicle inspected by your Lexus dealer if any of the following occur:

- The vehicle is involved in an accident that may affect the suspension or wheels
- The brake disc sustains an impact during the removal or installation of the wheels
- The brake pads have worn out and the metal part of the pad is in contact with the surface of the brake disc

## Heat Treatment for Brakes

For maximum brake performance, heat-treated brake pads and heat-treated brake rotors are installed at the factory. Replacement brake rotors are heat treated. However, replacement brake pads are not heat treated.

When brake pads are replaced, brake performance is sufficient and stable under normal driving conditions.

If maximum brake performance is required (e.g., for driving more than 125 mph on a race track\*), heat-treatment break-in of replacement brake pads is recommended after pad replacement. See your Lexus dealer for details.

## Washing and Cleaning

When washing and cleaning your vehicle, follow the precautions indicated in the *Owner's Manual* and the publication entitled *Inside the LFA* (both found in your glove compartment). If these precautions are not followed, the vehicle may be damaged.

## Lifting the Wiper

Before lifting the wiper, make sure it is stopped near the upper reverse position. Do not lift the wiper if it is in the retracted position; this may damage the wiper blade or front pillar fin.

## Premium Master Key

The premium master key for your LFA is a limited-production key made with carbon-fiber trim. As a result, replacing this key will cost significantly more than replacing a regular key. Please keep this key safe. (For information on

---

\*Racing precaution: Always wear safety belts. After ensuring vehicle is in proper operating condition and following race-track safety practices, only race vehicle on a race track after undergoing proper training, taking appropriate precautions and complying with all legal requirements. Even on a race track, drivers race at their own risk with the understanding that accident and serious injury may result.

how to obtain replacement keys, see page 11.)

## Service and Repair Parts

The LFA is a limited-production vehicle specially made for high performance. As a result, replacing powertrain, chassis, body, electrical and interior components will cost significantly more than replacing these components on a regular vehicle.

## In the Event of a Collision

If your LFA is involved in a collision, you want the vehicle to be returned to its pre-accident condition when repaired. The best way to ensure proper repairs is to take your vehicle to a Lexus-authorized LFA Collision Repair Center. These facilities meet Lexus' strict requirements for training, equipment and quality and will use Genuine Lexus Parts exclusively in the repair of your vehicle.

Some repair shops and insurance companies may suggest using imitation or salvaged parts to save money. However, these parts will likely not meet Lexus' high standards for quality, fit and performance. In addition, imitation and salvaged parts (and any damage or failures they may cause) are not covered by any Lexus warranty.

To arrange for your vehicle to be taken to an LFA Collision Repair Center, contact Lexus headquarters at (800) 255-3987. Lexus will help coordinate the specialized inspections and repairs required for your vehicle.

## Inspection and Repair Procedures

At an LFA Collision Repair Center, your vehicle will be thoroughly inspected by Lexus-designated specialists to determine the type and amount of damage. The following repair procedures will be followed:

- 1) If painted surfaces are damaged but no components are damaged, painted surfaces will be repaired and refinished.
- 2) If detachable components are damaged but the cabin/roof/monocoque is not damaged, the detachable components will be repaired or replaced and painted surfaces will be refinished. The LFA features many components constructed of carbon-fiber-reinforced plastic (CFRP) and glass-fiber-reinforced sheet molding compound (G-SMC). These parts – which

must be replaced (not repaired) if damaged – include the following:

- Hood (CFRP)
- Rear wing (CFRP)
- Back hatch frame (CFRP)
- Lower rocker molding (CFRP)
- Fenders (G-SMC)
- Doors (G-SMC)
- Rail garnish (G-SMC)
- Rocker moldings (G-SMC)
- Quarter panels (G-SMC)
- Fuel door (G-SMC)
- Rear panel (G-SMC)

3) If the cabin/roof/monocoque has minor damage, the vehicle may be repaired at an LFA Collision Repair Center. If the cabin/roof/monocoque requires extensive repairs that cannot be completed at an LFA Collision Repair Center, the vehicle will be partially disassembled for necessary access and shipped to a specialized CFRP repair facility in Germany. Once the cabin/roof/monocoque repairs are completed, the vehicle will be returned to the U.S. for reassembly.

### Responsibility for Repair Costs

All costs for collision repairs are the responsibility of the owner (if vehicle is owned) or lessee (if vehicle is leased). These costs include:

- Vehicle transportation to and from repair facilities
- Inspections
- Repairs
- Refinishing
- Parts replacement
- Vehicle disassembly
- Parts storage
- Crating of the vehicle
- Transportation of the vehicle to and from Germany
- Vehicle reassembly

Lexus provides you with a variety of services to help ensure that your ownership experience is pleasant, convenient and trouble-free. These services are described here.

### **Loaner Vehicle**

If your vehicle must be kept overnight at a Lexus dealership for a warranty-covered condition that requires more than eight hours to repair, Lexus will provide you with a complimentary loaner vehicle for up to five days. The loaner vehicle will be a different model than your LFA.

### **Travel Protection**

Lexus will reimburse for a rental car for up to five days and for overnight lodging for up to three nights (not to exceed \$200 per night) if all of the following occur:

- Your vehicle becomes inoperable or unsafe to drive when you are more than 100 miles from home.
- Your vehicle's malfunction is caused by a warranty-covered condition.

- Repairs will take longer than eight hours to complete.

To obtain reimbursement for rental car and lodging expenses, contact your Lexus dealer.

### **Roadside Assistance**

Lexus roadside assistance coverage is for 48 months from your vehicle's in-service date, regardless of mileage. Coverage is provided 24 hours a day, 365 days a year, for vehicles operated in the United States, U.S. territories and Canada. Assistance is administered through the American Automobile Association.

### **Services Provided**

- Roadside services such as battery jump-start, temporary repair of flat tire, fuel delivery, vehicle extrication and towing in case of minor accident.
- Towing to the nearest Lexus dealership (or an alternate repair facility, if necessary).
- Assistance in locating alternate transportation and lodging.

## How to Get Help

To obtain roadside assistance, take the following steps:

- 1) Call (800) 25-LEXUS (800/255-3987).
- 2) Have as much of the following information as possible:
  - 17-digit Vehicle Identification Number (VIN) found on the vehicle registration paperwork and on the manufacturer's label on the driver's door hinge post
  - Owner's name and home address
  - Vehicle license plate number
  - Location of vehicle, including the nearest major intersection
- 3) Wait at your vehicle or in a nearby secure location for the roadside assistance provider to arrive.

## Additional Coverage

After your roadside assistance coverage expires, you may join a motor club created exclusively for Lexus owners. Benefits include roadside assistance coverage, a trip-planning service and discounts on travel and dining. For further information, call (800) 25-LEXUS.

## Vehicle Service History

When you have your vehicle serviced at a Lexus dealership, your service information is recorded in the Lexus National Service History database. This is the first database of its kind in the automotive industry. It can be accessed by any Lexus dealership in the United States – a great convenience if you relocate or need to have your vehicle serviced while traveling.

## Replacement Keys

Your Lexus dealer can order replacement keys. Certain bonded/registered locksmiths may be able to generate replacement keys. When ordering a new key, bring all keys for the vehicle to your dealership. If a key or the key-number plate is not available, a Lexus dealer or certain locksmiths can obtain the key code from a restricted-access database. These businesses can also access a service utility to register the keys to the vehicle if all registered keys have been lost.

If you lock your key in your vehicle and do not have a spare, your dealer can make a new mechanical key from the code on the key-number plate. Certain bonded/registered lock-

smiths may also be able to generate a replacement mechanical key. If a Lexus dealer is not available, please refer to [www.aloa.org](http://www.aloa.org) to find a bonded/registered locksmith who performs high-security key service.

### **Keeping Your Keys Safe**

Replacing keys for your vehicle can be costly. For example, the premium master key for the LFA is a limited-production key made with carbon-fiber trim. As a result, replacing this key will cost significantly more than replacing a regular key.

We advise you to keep a spare key and the key-number plate in a safe place. If you record the key number in more than one place, do not record it in a way that can be easily identified and associated with the vehicle. For example, don't leave the number somewhere that can be accessed by a valet. It is wise to keep a copy of the key number outside of the vehicle.

Both Lexus and your Lexus dealer are dedicated to serving your automotive needs. Your complete satisfaction is our first priority. Should you have a problem or concern, please take the following steps to ensure the quickest possible response:

### Step 1

Discuss the situation with a dealership manager, such as the service manager or customer satisfaction manager. If necessary, ask the dealership owner or general manager for assistance. In most cases, a satisfactory solution can be reached at this step.

### Step 2

If the dealership does not address your concern to your satisfaction, call the Lexus Customer Satisfaction Department at (800) 25-LEXUS (800/255-3987). In Canada, call (800) 26-LEXUS (800/265-3987). In Mexico, call 95-1-310-328-2075.

You may also write to us at:

Lexus Customer Satisfaction  
Department  
P.O. Box 2991  
Torrance, CA 90509-2991

Whether calling or writing, please provide the following information:

- 17-digit Vehicle Identification Number (VIN) found on the vehicle registration paperwork and on the manufacturer's label on the driver's door hinge post
- Current vehicle mileage
- Name of your selling and servicing Lexus dealerships
- Your day and evening telephone numbers

### Step 3

If your concern has still not been resolved to your satisfaction, Lexus offers additional assistance through:

**National Center for Dispute Settlement (NCDS)**  
P.O. Box 457  
Mt. Clemens, MI 48046  
(866) 272-4872

**Important:** You must use NCDS prior to exercising rights or seeking remedies available to you through a court action pursuant to the Magnuson-Moss Warranty Act. In addition, you must use NCDS if you are required to do so prior to exercising certain rights or seeking certain remedies available under the Lemon Laws of your state. See the *Lemon Law Guide* for specific requirements applicable in your state.

However, if your state law permits and if you choose to exercise rights and seek remedies that are not created by the Act, you need not use NCDS.

### NCDS Arbitration

#### What is the Dispute Settlement Program?

This program consists of local professionals who are trained and experienced in arbitration. The arbitrator(s) appointed by NCDS will arbitrate your case by reviewing the facts you present; having the vehicle inspected, if necessary; and promptly rendering a fair and equitable decision.

#### How much will it cost?

The service is provided at no cost to you. It is part of Lexus' effort to promptly and equitably resolve your concerns. The decision-maker is an impartial third party. The decision of the arbitrator(s) is binding on Lexus but not on you.



### What types of disputes are eligible?

NCDS resolves disputes involving Lexus product reliability and warranty performance that arise during the greater of 1) four years or 50,000 miles from the vehicle's in-service date, whichever is earlier; or 2) the applicable provision of the Lexus New Vehicle Limited Warranty. However, NCDS will not arbitrate 1) claims involving a vehicle used primarily for commercial purposes unless the Lemon Laws of your state cover vehicles used for commercial purposes; or 2) claims that an air bag failed to deploy or deployed when it should not have; or 3) disputes regarding fires and/or accidents and/or theft. Since there are other additional exclusions, please contact NCDS for further information on eligibility guidelines. You must file a request for arbitration with NCDS within six months of the expiration of the eligibility period, provided the concern or alleged defect was brought to the attention of Lexus or one of its dealers during the eligibility period.

### How long is the arbitration process?

The entire process – from the time NCDS receives your request for arbitration to the arbitrator's decision – is designed to take no more than 40 days. A decision may be delayed if:

- You fail to provide certain information required by NCDS.
- You fail to make your vehicle available for inspection by NCDS in a timely manner (if an inspection is required).

### How do I request arbitration?

To initiate arbitration, you must complete an NCDS customer claim form and mail it to NCDS. A claim form is included in the *Lemon Law Guide* located in your vehicle, or you may request a form by calling NCDS at (866) 272-4872. When you call, please have ready your vehicle identification number (VIN), the names of your selling and servicing dealerships, and the current mileage on your Lexus.

In addition to completing the customer claim form, please provide NCDS with the following information:

- Vehicle year, make, model, VIN, mileage and date of purchase.
- A brief description of your complaint and the actions you have taken to resolve it.
- What action or remedy you believe would resolve your problem.

If you are seeking reimbursement for repairs or incidental expenses, please provide copies of applicable receipts.

Send your request to:

National Center for Dispute Settlement  
P.O. Box 457  
Mt. Clemens, MI 48046

Upon receipt of your request, NCDS will contact you regarding the status of your case and supply you with additional details about the program.

### How does the arbitration process work?

When NCDS receives your request, it will be forwarded to the Lexus area office for response.

At the request of either party or the arbitrators, NCDS may schedule a technical inspection. This may include an inspection of the vehicle by an independent technical expert with a Lexus representative present. The technical expert will forward his or her evaluation to NCDS.

An oral hearing will be held prior to a decision being rendered. At this hearing, all relevant evidence is admissible. You and a Lexus representative will present both sides of the case to the NCDS arbitrator(s). You will each be given an equal opportunity to give testimony and provide documents. Then you will each be given an opportunity for rebuttal. After considering all testimony and documents, the arbitrator(s) will review the applicable legal standards and render a decision within 10 days.

A settlement satisfactory to all parties may be negotiated at any time during the process.

### **What types of decisions are rendered, and how do I know if Lexus will abide by the decision of the arbitrator(s)?**

Arbitrated decisions are based on what the arbitrator(s) believe to be fair and equitable after applying the appropriate legal standards. Remedies include but are not limited to repairs; reimbursement for repairs and incidental expenses, such as towing costs; and repurchase or replacement of your vehicle.

The decision of the arbitrator(s) is binding on Lexus but not on you. Lexus must comply with the decision shortly after it is rendered, usually within 30 days of your acceptance of the decision. NCDS will contact you within 10 days of scheduled compliance to ensure that Lexus has complied in a timely manner.

### **Are there limits to the scope of arbitrated decisions?**

Arbitrated decisions do not include:

- Attorney fees
- Punitive damages
- Multiple damages
- Consequential damages, other than incidental damages that you may be entitled to under law

### **What other recourse do I have?**

If you are dissatisfied with the arbitrator's decision or Lexus' compliance, you may pursue any other legal remedies available to you, including small claims court. You should be aware that the decision of the arbitrator(s) is admissible as evidence in any legal proceedings concerning your vehicle.

### **Is the Dispute Settlement Program subject to change?**

The information in this booklet about the program is correct as of the date of printing. However, the program may be changed without notice. Contact the Lexus Customer Satisfaction Department at (800) 255-3987 for the most current information concerning the Dispute Settlement Program.

You have purchased one of the finest vehicles built in the world today, and it is backed by one of the finest warranties in the industry. This excellent warranty coverage demonstrates not only our confidence in Lexus vehicles, but also our commitment to every Lexus customer. We're dedicated to ensuring that you enjoy exceptional quality, dependability and peace of mind throughout your ownership experience.

To further demonstrate our commitment to our customers' satisfaction, occasionally we may establish a special policy adjustment to pay for specific repairs that are no longer covered by warranty. When we establish such a policy adjustment, we mail details to all applicable owners on record. That's why it is important to send in the card at the back of this booklet if you change your address or if you have purchased your Lexus from a previous owner.

You've made a wise decision to purchase a Lexus. Your vehicle delivers world-class luxury and performance,


along with an unparalleled commitment from Lexus to ensuring your satisfaction. You can be confident – as we are – that you'll enjoy owning your Lexus as much as you enjoy driving it.

This section of the *Warranty and Services Guide* describes the terms of Lexus warranty coverage as well as general owner responsibilities. The section beginning on page 44 describes your vehicle's maintenance requirements. Be sure to review this information carefully, since proper maintenance is required to ensure that warranty coverage remains intact.


All warranty information is the latest available at the time of publication and, with the exception of the emission control warranties, is subject to change without notice.

# WARRANTY

## New Vehicle Limited Warranty



## Emission Control Warranty



\*Specific components may have longer coverage under terms of the Powertrain Warranty.

<sup>†</sup>Also applies to Arizona, Connecticut, Maine, Maryland, Massachusetts, New Jersey, New Mexico, Oregon, Pennsylvania, Rhode Island, Vermont and Washington vehicles equipped with a California Certified Emission Control System. Vehicles covered by this warranty are also covered by the Federal Emission Control Warranty.

### Who Is the Warrantor

The warrantor for these limited warranties is Lexus, a division of Toyota Motor Sales, U.S.A., Inc., 19001 South Western Avenue, Torrance, California 90509-2991, a California corporation.

### Which Vehicles Are Covered

These warranties apply to 2012 model-year Lexus LFA models registered and normally operated in the United States, U.S. territories and Canada. Warranty coverage is automatically transferred at no cost to subsequent vehicle owners.

### Multiple Warranty Conditions

This booklet contains warranty terms and conditions that may vary depending on the part covered. A warranty for specific parts or systems, such as the Powertrain Warranty or Emission Performance Warranty, is governed by the coverage set forth in that warranty as well as the General Warranty Provisions.

### When Warranty Begins

The warranty period begins on the vehicle's in-service date, which is the first date the vehicle is either delivered to an ultimate purchaser, leased, or used as a company car or demonstrator.

### Repairs Made at No Charge

Repairs and adjustments covered by these warranties are made at no charge for parts and labor.

### Parts Replacement

Any needed parts replacement will be made using new or remanufactured parts. The decision whether a part should be repaired or replaced will be made by the servicing Lexus dealership and/or Lexus. Parts scheduled to be replaced as required maintenance are warranted until their first replacement only.

**Note:** Lexus remanufactured parts meet or exceed all factory standards for safety, quality and reliability.

## Limitations

The performance of necessary repairs and adjustments is the exclusive remedy under these warranties or any implied warranties. Lexus does not authorize any person to create for it any other obligation or liability in connection with this vehicle.

**Any implied warranty of merchantability or fitness for a particular purpose is limited to the duration of these written warranties.** Some states do not allow restrictions on how long an implied warranty lasts, so this limitation may not apply to you.

## Your Rights Under State Law

These warranties give you specific legal rights. You may also have other rights that vary from state to state.

### WHAT IS COVERED AND HOW LONG

#### Basic Warranty

This warranty covers repairs and adjustments needed to correct defects in materials or workmanship of any part supplied by Lexus, subject to the exceptions indicated under “What Is Not Covered” on pages 23-24.

Coverage is for 48 months or 50,000 miles, whichever occurs first, with the exception of wheel alignment and wheel balancing, which are covered for 12 months or 20,000 miles, whichever occurs first.

#### Powertrain Warranty

This warranty covers repairs needed to correct defects in materials or workmanship of any component listed here and supplied by Lexus, subject to the exceptions indicated under “What Is Not Covered” on pages 23-24.

Coverage is for 72 months or 70,000 miles, whichever occurs first.

#### Engine

Cylinder block and head and all internal parts, timing chains and cover, flywheel, oil pan, water pump, fuel pump, engine mounts, engine control computer, seals and gaskets.

#### Transmission and Transaxle

Case and all internal parts, torque converter, clutch cover, mounts, engine control computer, seals and gaskets.

#### Rear-Wheel-Drive System

Differential carrier assembly, drive shaft, axle carrier, axle case, axle bearing, axle shaft, seals and gaskets.

#### Restraint Systems Warranty

This warranty covers repairs needed to correct defects in materials or workmanship of any seatbelt or air bag system supplied by Lexus, subject to the exceptions indicated under “What Is Not Covered” on pages 23-24.

Coverage is for 72 months or 70,000 miles, whichever occurs first.

For vehicles sold and registered in Kansas, the warranty for seatbelts and related components is 10 years, regardless of mileage.



## Corrosion Perforation Warranty

This warranty covers repair or replacement of any original body panel that develops perforation from corrosion (rust-through), subject to the exceptions indicated under “What Is Not Covered” on pages 23–24.

Coverage is for 72 months, regardless of mileage.

For information on how to protect your vehicle from corrosion, see the section entitled “Service Procedures and Specifications – Body” in the *Owner’s Manual*.

## Towing

When your vehicle is inoperable due to failure of a warranted part, towing service to the nearest authorized Lexus dealership is covered.

## WHAT IS NOT COVERED

This warranty does not cover damage or failures resulting directly or indirectly from any of the following:

- Fire, accidents or theft
- Abuse or negligence
- Misuse – for example, racing or overloading
- Improper repairs
- Alteration or tampering, including installation of non-Genuine Lexus Accessories
- Lack of or improper maintenance, including use of fluids other than those specified in the *Owner’s Manual*
- Installation of non-Genuine Lexus Parts
- Airborne chemicals, tree sap, road debris (including stone chips), rail dust, salt, hail, floods, wind storms, lightning and other environmental conditions
- Water contamination

This warranty also does not cover the following:

### **Tires**

Tires are covered by a separate warranty provided by the tire manufacturer. See page 39.

### **Normal Wear and Tear**

Noise, vibration, cosmetic conditions and other deterioration caused by normal wear and tear.

### **Maintenance Expense**

Normal maintenance services such as engine tune-ups; replacement of fluids and filters; lubrication; cleaning and polishing; replacement of spark plugs and fuses; and replacement of worn wiper blades, brake pads/linings and clutch linings.

### **Vehicles With Altered Odometer**

Failure of a vehicle on which the odometer has been altered so that actual vehicle mileage cannot be readily determined.

### **Vehicles With Unknown Vehicle Identification Number**

Any vehicle for which the original factory-assigned vehicle identification number cannot be determined.

### **Salvage or Total-Loss Vehicles**

Any vehicle that has ever been issued a "salvage" title or similar title under any state's law; or has ever been declared a "total loss" or equivalent by a financial institution or insurer, such as by payment for a claim in lieu of repairs because the cost of repairs exceeded the cash value of the vehicle. This exclusion does not apply to the emission control warranties.

### **Incidental Damages**

Incidental or consequential damages associated with a vehicle failure. Such damages include but are not limited to inconvenience; the cost of transportation, telephone calls and lodging; the loss of personal or commercial property; and the loss of pay or revenue.

**Disclaimer of Extra Expenses and Damages**

The performance of necessary repairs and adjustments is the exclusive remedy under this warranty or any implied warranty. Lexus does not authorize any person to create for it any other obligation or liability in connection with this vehicle. Lexus shall not be liable for incidental or consequential damages resulting from breach of this written warranty or any implied warranty.

Any implied warranty of merchantability or fitness for a particular purpose is limited to the duration of this written warranty, except in states where this limitation is not allowed.

**DISPUTE RESOLUTION**

If a dispute arises regarding your warranty coverage, please follow the steps described on pages 13–14. Please note that you must use the National Center for Dispute Settlement before seeking remedies through a court action pursuant to “the Magnuson-Moss Warranty Act. You may also be required to use the National Center for Dispute Settlement before seeking remedies under the Lemon Laws of your state. For the requirements applicable to your state, see the appropriate page of the *Lemon Law Guide* located in your vehicle.

## WHAT IS COVERED AND HOW LONG

### Emission Defect Warranty

Lexus warrants that your vehicle:

- Was designed, built and equipped to conform at the time of sale with applicable federal emissions standards.
- Is free from defects in materials and workmanship that may cause the vehicle to fail to meet these standards.

Federal regulations require that this warranty be in effect for two years or 24,000 miles from the vehicle's in-service date, whichever occurs first. However, under the terms of the Basic Warranty, Lexus provides coverage of four years or 50,000 miles, whichever occurs first. Specific components may have longer coverage under the terms of the Powertrain Warranty. Additionally, components marked "8/80" in the parts list on pages 27-28 have coverage of eight years or 80,000 miles, whichever occurs first.

### Emission Performance Warranty

Some states and localities have established vehicle inspection and maintenance (I/M) programs to encourage proper vehicle maintenance. If an EPA-approved I/M program is in force in your area, you are eligible for Emission Performance Warranty coverage.

Under the terms of the Emission Performance Warranty and federal regulations, Lexus will make all necessary repairs if both of the following occur:

- Your vehicle fails to meet applicable emissions standards as determined by an EPA-approved emissions test.
- This failure results or will result in some penalty to you – such as a fine or denial of the right to use your vehicle – under local, state or federal law.

This warranty is in effect for two years or 24,000 miles from the vehicle's in-service date, whichever occurs first. Additionally, components marked "8/80" in the parts list on pages 27-28 have coverage of eight years or 80,000 miles, whichever occurs first.

## WHAT IS NOT COVERED

These warranty obligations do not apply to failures or noncompliance caused by:

- The use of replacement parts not certified in accordance with aftermarket parts certification regulations.
- The use of replacement parts not equivalent in quality or design to original equipment parts.

Provisions under the “What Is Not Covered” section of the New Vehicle Limited Warranty also apply to this warranty.

## WARRANTY PARTS LIST

### Air Conditioning System

- Blower motor
- Compressor
- Condenser
- Evaporator
- Associated parts

### Air/Fuel Metering System

- Air/fuel ratio feedback control system
- Cold-start enrichment system
- Deceleration control system
- Electronic fuel injection system components
  - Airflow sensor
  - Engine control module (8/80)
  - Throttle body
  - Other components

### Air Induction System

- Intake manifold and intake air surge tank

### Air Injection System

- Air injection manifold
- Air injection pump
- Airflow control valves

*8/80 = Covered for eight years or 80,000 miles, whichever occurs first.*

**Catalyst System**

- Catalytic converter and protector (8/80)
- Constricted fuel filler neck
- Exhaust manifold
- Exhaust pipe (manifold to catalyst and/or catalyst to catalyst)

**Evaporative Control System**

- Charcoal canister
- Diaphragm valve
- Fuel filler cap
- Fuel tank
- Vapor liquid separator

**Exhaust Gas Recirculation (EGR) System**

- EGR gas temperature sensor
- EGR valve
- Associated parts

**Ignition System**

- Distributor and internal parts
- Ignition coil and ignitor
- Ignition wires
- Spark plugs\*

**Positive Crankcase Ventilation (PCV) System**

- Oil filler cap
- PCV valve or orifice

**Other Parts Used in Systems Listed**

- Data link connector (8/80)
- Hoses, clamps, fittings, tubing and mounting hardware
- Malfunction indicator light and bulb (8/80)
- Pulleys, belts and idlers
- Sealing gaskets and devices
- Sensors, solenoids, switches and valves

8/80 = Covered for eight years or 80,000 miles, whichever occurs first.

\*Warranted until first required maintenance under terms of the California Emission Control Warranty.

## MAINTENANCE

You are responsible for performance of the required maintenance indicated in the *Owner's Manual* and this guide. Lexus will not deny a warranty claim solely because you do not have records to show that you maintained your vehicle. However, any failure or noncompliance caused by lack of maintenance is not covered by this warranty.

**When maintenance and repairs are paid for by you, these services may be performed by you or by any automotive service provider you choose. Lexus will not deny a warranty claim solely because you used a service provider other than a Lexus dealership for maintenance and repairs.** However, any failure or noncompliance caused by improper maintenance or repairs is not covered by this warranty.

## REPLACEMENT PARTS

To ensure optimum performance and maintain the quality built into your vehicle's emission control systems, Lexus recommends the use of Genuine Lexus Parts when servicing or repairing the systems.

**Warranty coverage is not dependent upon the use of any particular brand of replacement parts and you may elect to use non-Genuine Lexus Parts for maintenance and repairs.** However, use of replacement parts that are not equivalent in quality to Genuine Lexus Parts may impair the effectiveness of the emission control systems.

If you use replacement parts that have maintenance or replacement schedules different from those of Genuine Lexus Parts, you must follow the maintenance and replacement schedules for the parts you are using. In addition, you should ensure that such parts are warranted by their manufacturers to be equivalent to Genuine Lexus Parts.

### IF YOUR VEHICLE FAILS AN EMISSIONS TEST

If your vehicle fails an EPA-approved emissions test, you may make a claim under the Emission Performance Warranty. To do so, take your vehicle to an authorized Lexus dealership and present a copy of the emissions test report. Also, take your maintenance records in case they are needed.

If your claim qualifies for coverage, the dealership will repair your vehicle within 30 days (unless a shorter period is required by law). If your claim is denied, Lexus will notify you in writing of the reason within the same period. If we fail to do so, we will repair your vehicle free of charge. The only exceptions allowed are when you request or agree to a delay, or when a delay is caused by factors beyond the control of Lexus or the dealership.

For information on how to obtain service under the Emission Defect Warranty, see page 42, "Obtaining Warranty Service."

### IF YOU HAVE QUESTIONS

If you have questions or concerns about your vehicle's federal emission warranty coverage, please follow the steps described on pages 13-14. In the case of the Emission Performance Warranty, you may also request information from or report complaints to:

U.S. Environmental Protection  
Agency  
Vehicle Programs & Compliance  
Division (6405J)  
Attn: Warranty Complaints  
401 M Street SW  
Washington, D.C. 20460

Vehicles equipped with a California Certified Emission Control System that are registered and operated in California or any state that adopts California emission warranty provisions are also covered by the California Emission Control Warranty (see page 32). Arizona, Connecticut, Maine, Maryland, Massachusetts, New Jersey, New Mexico, Oregon, Pennsylvania, Rhode Island, Vermont and Washington are the other states to which the California Emission Control Warranty currently applies.



DEALER CERTIFICATE

We (the dealership) want you to know that at the time your new Lexus vehicle is being delivered:

- 1) On the basis of written notification furnished by Lexus, we have knowledge that the vehicle is covered by an EPA Certificate of Conformity.
- 2) We have visually inspected those emission control devices or portions thereof that are visible without removing or adjusting any components or systems, emissions-related or otherwise. On the basis of this inspection, there are no apparent deficiencies in the installation of emission control devices by Lexus. (For purposes of this certificate, "emission control devices" is limited to devices installed on a vehicle for the sole or primary purpose of controlling emissions and which were not in general use before 1968.)
- 3) We have performed all emission control system preparations required by Lexus prior to the sale of the vehicle as set forth in Lexus' current pre-delivery service manual.
- 4) Except as may be provided in Paragraph 5, if this vehicle fails an EPA-approved emissions test within three months or 4,000 miles (whichever comes first) of delivery to the ultimate purchaser, and the vehicle has been maintained and

used in accordance with the written instructions for proper maintenance and use, Lexus will remedy the nonconformity free of charge under the terms of the Emission Performance Warranty.

- 5) If vehicle was used as a company car or demonstrator, check box and complete the following:
  - ☐ The vehicle with which this statement is delivered was placed into service as a company car or demonstrator prior to delivery. The Emission Performance Warranty period commenced on the date the vehicle was first placed into service, which was

Month Day Year

**Note:** The dealership makes no representation or warranty that the emission control system or any part thereof is without defect or that the system will perform properly. The Emission Performance Warranty referred to in Paragraph 4 and furnished with the vehicle is solely that of the manufacturer.

This statement is required by section 207 of the Clean Air Act (42 U.S.C. 7541) and the EPA regulations issued thereunder.

Dealership name

WARRANTY

Vehicles equipped with a California Certified Emission Control System that are registered and operated in California or any state that adopts California emission warranty provisions are covered by this warranty. Arizona, Connecticut, Maine, Maryland, Massachusetts, New Jersey, New Mexico, Oregon, Pennsylvania, Rhode Island, Vermont and Washington are the other states to which this warranty currently applies. Vehicles covered by this warranty are also covered by the Federal Emission Control Warranty (see page 26).

### YOUR WARRANTY RIGHTS AND OBLIGATIONS

The California Air Resources Board (CARB) and Lexus are pleased to explain the emission control system warranty for your 2012 vehicle. In California, new motor vehicles must be designed, built and equipped to meet the state's stringent anti-smog standards. CARB regulations require that Lexus must warrant the emission control system on your vehicle for the time periods indicated on the next page, provided there has been no abuse, neglect or improper maintenance of your vehicle.

Your emission control system may include parts such as the fuel injection system, ignition system, catalytic converter and engine computer. Also included may be hoses, belts, connectors and other emissions-related assemblies.

Where a warrantable condition exists, Lexus will repair your vehicle at no cost to you, including diagnosis, parts and labor.

## MANUFACTURER'S WARRANTY COVERAGE

1) For three years or 50,000 miles, whichever occurs first:

- If your vehicle fails a smog-check test, all necessary repairs and adjustments will be made by Lexus to ensure that your vehicle passes the test. This is your Emission Control System PERFORMANCE WARRANTY.

- If an emissions-related part listed on pages 27–28 is defective, the part will be repaired or replaced by Lexus. This is your SHORT-TERM Emission Control System DEFECT WARRANTY.

**Note:** Under the terms of the Basic Warranty, Lexus provides coverage of four years or 50,000 miles, whichever occurs first. Specific components may have longer coverage under the terms of the Powertrain Warranty.

2) For seven years or 70,000 miles, whichever occurs first:

- If an emissions-related part listed on pages 34–35 is defective, the part will be repaired or replaced by Lexus. This is your LONG-TERM Emission Control System DEFECT WARRANTY.

## OWNER'S WARRANTY RESPONSIBILITIES

You are responsible for performance of the required maintenance indicated in the *Owner's Manual* and this guide. Lexus recommends that you retain all receipts covering maintenance on your vehicle, but Lexus cannot deny warranty coverage solely for the lack of receipts or your failure to ensure the performance of all scheduled maintenance.

You are responsible for presenting your vehicle to a Lexus dealership as soon as a problem exists. The warranty repairs should be completed in a reasonable amount of time, not to exceed 30 days.

You should also be aware that Lexus may deny you warranty coverage if your vehicle or a part has failed due to abuse, neglect, improper maintenance or unapproved modifications.

If you have any questions regarding your warranty rights and responsibilities, you should contact the Lexus Customer Satisfaction Department at (800) 255-3987 or the California Air Resources Board, Mobile Source Control Division, at 9528 Telstar Avenue, P.O. Box 8001, El Monte, CA 91734-8001.

## WHAT IS NOT COVERED

These warranty obligations do not apply to failures or noncompliance caused by:

- The use of replacement parts not certified in accordance with aftermarket parts certification regulations.
- The use of replacement parts not equivalent in quality or design to original equipment parts.

Provisions under the “What Is Not Covered” section of the New Vehicle Limited Warranty also apply to this warranty.

## PARTS LIST: LONG-TERM EMISSION DEFECT WARRANTY

The parts listed here are covered for seven years or 70,000 miles from the vehicle’s in-service date, whichever occurs first.

### Air Conditioner System

- Air conditioner tube and accessory
- Air conditioner tube and accessory O-ring
- Compressor with pulley
- Condenser
- Evaporator
- Evaporator O-ring
- Expansion valve

### Air/Fuel Metering System

- Air/fuel ratio sensor
- Air pump
- Cam timing oil control valve
- Engine control computer (engine control module)
- Fuel delivery pipe
- Fuel pressure sensor
- Injector
- Oxygen sensor
- Throttle body
- Throttle body gasket
- Transmission control computer
- Water temperature sensor

## Air Induction System

- Air cleaner case
- Air cleaner cover
- Auxiliary air valve hose
- Intake manifold and intake air surge tank
- Intake manifold insulator
- Intake manifold to head gasket

## Catalyst System

- Exhaust front pipe (including catalytic converter)
- Exhaust manifold
- Exhaust manifold gasket

## Evaporative Control System

- Air hose
- Canister to front side member tube
- Charcoal canister
- Charcoal canister outlet hose
- Duty vacuum switching valve
- Fuel emission tube
- Fuel hose
- Fuel main tube
- Fuel tank
- Fuel tank breather hose
- Fuel tank filler pipe
- Fuel vapor feed hose
- Fuel vapor feed pipe

- Fuel vapor hose
- Gas filter
- Idle speed control valve
- Idle speed control valve gasket
- Vacuum sensor

## Ignition System

- Crank position sensor
- Knock sensor

## Positive Crankcase Ventilation System

- Oil cooler gasket
- Oil cooler hose
- Oil cooler pipe
- Oil cooler with bracket
- Oil cooler with bracket gasket
- Oil separator
- Oil strainer gasket
- Ventilation hose
- Ventilation pipe
- Ventilation tube
- Ventilation valve

## Other Parts Used in Systems Listed

- Sequential transmission actuator
- Sequential transmission pump

## MAINTENANCE

You are responsible for performance of the required maintenance indicated in the *Owner's Manual* and this guide. Lexus will not deny a warranty claim solely because you do not have records to show that you maintained your vehicle. However, any failure or noncompliance caused by lack of maintenance is not covered by this warranty.

When maintenance and repairs are paid for by you, these services may be performed by you or by any automotive service provider you choose. Lexus will not deny a warranty claim solely because you used a service provider other than a Lexus dealership for maintenance and repairs. However, any failure or noncompliance caused by improper maintenance or repairs is not covered by this warranty.

## REPLACEMENT PARTS

To ensure optimum performance and maintain the quality built into your vehicle's emission control systems, Lexus recommends the use of Genuine Lexus Parts when servicing or repairing the systems.

**Warranty coverage is not dependent upon the use of any particular brand of replacement parts and you may elect to use non-Genuine Lexus Parts for maintenance and repairs. However, use of replacement parts that are not equivalent in quality to Genuine Lexus Parts may impair the effectiveness of the emission control systems.**

If you use replacement parts that have maintenance or replacement schedules different from those of Genuine Lexus Parts, you must follow the maintenance and replacement schedules for the parts you are using. In addition, you should ensure that such parts are warranted by their manufacturers to be equivalent to Genuine Lexus Parts.

## IF YOUR VEHICLE FAILS A SMOG-CHECK TEST

If your vehicle fails a smog-check test, you may make a claim under the Emission Performance Warranty. To do so, take your vehicle to an authorized Lexus dealership and present a copy of the smog-check test report. Also, take your maintenance records in case they are needed.

If your claim qualifies for coverage, the dealership will repair your vehicle within 30 days (unless a shorter period is required by law). If your claim is denied, Lexus will notify you in writing of the reason within the same period. If we fail to do so, we will repair your vehicle free of charge. The only exceptions allowed are when you request or agree to a delay, or when a delay is caused by factors beyond the control of Lexus or the dealership.

For information on how to obtain service under the Emission Defect Warranty, see page 42, "Obtaining Warranty Service."

## REPAIR DELAYS

If a Lexus dealership is unable to complete repairs on your vehicle within 30 days, you may have the repairs made under Lexus' provisions for emergency warranty repairs. See page 42 for details.

### IF YOU HAVE QUESTIONS

If you have questions or concerns about your vehicle's California emission warranty coverage, please follow the steps described on pages 13-14.

You may also request information from or report complaints to:

California Air Resources Board  
Mobile Source Control Division  
P.O. Box 8001  
El Monte, CA 91734-8001  
(800) 242-4450



## OBTAINING WARRANTY SERVICE

The tires that come as original equipment on your vehicle are warranted by their manufacturer and not Lexus. Please refer to the tire warranty statement included with the owner information in your vehicle.

To obtain warranty service for a tire, take the tire to an authorized dealer of the tire manufacturer. (Refer to your local phone directory for dealer locations.) Your Lexus dealer may also be able to assist you in obtaining warranty service from the manufacturer.

For additional warranty information or service assistance, contact the tire manufacturer directly.

## ORIGINAL EQUIPMENT TIRE MANUFACTURERS

### **Bridgestone/Firestone**

535 Marriott Drive

Nashville, TN 37214

Bridgestone: (800) 847-3272

Firestone: (800) 356-4644

### GENERAL INFORMATION

You are responsible for ensuring that your Lexus is operated and maintained according to the instructions in the *Owner's Manual* and the "Maintenance Information" section of this guide.

You should keep detailed records of vehicle maintenance, since under some circumstances they may be required for warranty coverage. These records should include date of service, mileage at time of service and a description of service performed and/or parts installed. For your convenience, maintenance logs are included in the "Maintenance Information" section of this guide. If you sell your vehicle, you should give your maintenance records to the new owner.

Lexus will not deny a warranty claim solely because you do not have records to show that you maintained your vehicle. However, damage or failures caused by lack of proper maintenance are not covered under warranty.

### WHERE TO GO FOR MAINTENANCE

You may have maintenance performed on your vehicle by any qualified person or facility. However, Lexus recommends having maintenance performed by an authorized Lexus dealership.

Lexus dealership technicians are specially trained to maintain and repair Lexus vehicles. They stay current on the latest service information through Lexus technical bulletins, service publications and training courses. Many are also certified through the Lexus Commitment to Perfection Certification Program, which requires specialized, state-of-the-art training as well as rigorous exams through both Lexus and the National Institute for Automotive Service Excellence.

You can be confident you're getting the best possible service for your vehicle when you take it to a Lexus dealership. Plus, a Lexus dealership will always use Genuine Lexus Parts designed specifically for your vehicle.

## REPLACEMENT PARTS

Warranty coverage is not dependent upon the use of any particular brand of replacement parts. However, Lexus recommends using only Genuine Lexus Parts when you need to replace a part on your vehicle. Like all Lexus products, Genuine Lexus Parts are built to the highest standards of quality, durability and performance. They are also designed to fit your vehicle's exact specifications.

Your Lexus dealership maintains an extensive inventory of Genuine Lexus Parts to meet your vehicle service needs. And because it is linked electronically to Lexus Parts Distribution Centers, the dealership has quick access to any parts it may not have in stock.

Genuine Lexus Parts are covered by their own warranty (see your dealer for details) or the remainder of any applicable New Vehicle Limited Warranty, whichever is longer. **Non-Genuine Lexus Parts, or any damage or failures resulting from their use, are not covered by any Lexus warranty.**

### BY GEOGRAPHIC REGION

#### **In the United States, U.S. Territories and Canada**

To obtain warranty service in the United States, U.S. territories or Canada, take your vehicle to an authorized Lexus dealership. If your vehicle cannot be driven, contact your nearest Lexus dealership for towing assistance. You do not have to pay for towing to the nearest Lexus dealership if your vehicle is inoperable due to failure of a warranted part.

#### **Outside the United States, U.S. Territories and Canada**

If you are using your vehicle outside the United States, U.S. territories and Canada and need warranty service, contact a local Lexus dealership. Please note, however, that your vehicle may not be repaired free of charge because the local Lexus distributor may have no obligation to provide warranty service for your vehicle, and/or your vehicle may not comply with local regulatory or environmental requirements.

### EMERGENCY REPAIRS

Lexus recommends having maintenance and repairs for your vehicle performed by an authorized Lexus dealership. To locate your nearest authorized Lexus dealership, log on to [www.lexus.com](http://www.lexus.com) or contact Lexus Customer Satisfaction at (800) 255-3987.

Maintenance and repairs not performed by an authorized Lexus dealership should be performed by a qualified technician following procedures in Lexus service and repair publications.

If your vehicle is inoperable or unsafe to drive and there is no Lexus dealership reasonably available to make repairs, you may perform the repairs yourself or have them performed by another automotive service provider. Lexus will reimburse you for any of the repairs that are covered by warranty. To receive reimbursement, present to an authorized Lexus dealership your paid repair invoices and any parts that were removed from the vehicle. You will be reimbursed for warranted parts at the manufacturer's suggested retail price and warranted

labor at a geographically appropriate hourly rate multiplied by Lexus' recommended time allowance for the repair.

If your vehicle requires emergency repair, Lexus assumes no liability for subsequent failures caused by improper repairs or the use of non-Genuine Lexus Parts unless you have the vehicle properly repaired in a timely manner. To ensure that warranty coverage remains intact, have your vehicle inspected by an authorized Lexus dealership as soon as possible after an emergency repair.

Regular maintenance is essential to obtaining the highest level of performance, safety and reliability from your Lexus. It can also enhance your vehicle's resale value. This section of the *Warranty and Services Guide* is designed to help you make sure your vehicle receives proper and timely maintenance. It includes factory-recommended maintenance guidelines as well as logs in which to document your vehicle's maintenance history.

In addition to scheduled maintenance, your Lexus requires ongoing general

maintenance such as fluid checks and visual inspections. These procedures are listed on page 47 of this booklet and described in detail in the "Maintenance" section of the *Owner's Manual*.

With proper maintenance and care, your vehicle will last longer and deliver more dependable, economical performance. Follow this booklet's recommendations and you'll enjoy maximum reliability and peace of mind from your Lexus for many years to come.



Maintaining your vehicle according to the recommendations in this booklet is required to ensure that your warranty coverage remains intact. You should keep detailed records of vehicle maintenance, including date of service, mileage at time of service and a description of service and/or parts installation performed. The maintenance logs in this booklet are a good place to record this information. If you sell your vehicle, be sure to give your maintenance records to the new owner.

Lexus will not deny a warranty claim solely because you do not have records to show that you maintained your vehicle. However, damage or failures caused by lack of proper maintenance are not covered under warranty.

Maintenance and repair services may be performed by you or by any automotive service provider you choose. Lexus will not deny a warranty claim solely because you used a service

provider other than a Lexus dealership for maintenance and repairs. However, damage or failures caused by improper maintenance or repairs are not covered under warranty.

Your dealer may recommend more frequent maintenance intervals or more maintenance services than those listed in the scheduled maintenance log. These additional services are not required to maintain your warranty coverage. Ask your dealer for an explanation of any recommended maintenance not included in the scheduled maintenance log.

For a complete description of Lexus warranty coverages, see pages 20–39 of this booklet.

To ensure that your vehicle receives first-quality service and factory-authorized parts, Lexus recommends having maintenance performed by an authorized Lexus dealership. To locate your nearest authorized Lexus dealership, log on to [www.lexus.com](http://www.lexus.com) or contact Lexus Customer Satisfaction at (800) 255-3987.

Lexus dealership technicians are experts in the maintenance and repair of Lexus vehicles. They stay current on the latest service information through Lexus technical bulletins, service publications and training courses. Many are also certified through the Lexus Commitment to Perfection Certification Program, which requires specialized, state-of-the-art training as well as rigorous exams through both Lexus and the National Institute for Automotive Service Excellence.

Additionally, when you have your vehicle serviced at a Lexus dealership, your service information is recorded in the Lexus National Service History database. This is the first database of its kind in the automotive industry. It can be accessed by

any Lexus dealership in the U.S. — a great convenience if you relocate or need to have your vehicle serviced while traveling.

You can be confident you're getting the best possible service for your vehicle when you take it to a Lexus dealership. Don't trust your investment to anything less than a team of Lexus specialists.

Maintenance and repairs not performed by an authorized Lexus dealership should be performed by a qualified technician following procedures in Lexus service and repair publications.



In addition to scheduled maintenance, your Lexus requires ongoing general maintenance such as fluid checks and visual inspections. The recommended guidelines for inspections are listed here. Please refer to the “Maintenance” section of the *Owner’s Manual* for additional information.

### Every 30 Days

At least once every 30 days, perform these inspections:

- With engine hot, check engine oil level using the meter display while vehicle is parked on a level surface
- With engine cold, visually check engine coolant level on the see-through reservoir
- Visually check brake fluid level on the see-through reservoir
- Visually check condition of battery
- Check level of windshield washer fluid
- Check tire pressure
- Check tires for damage and wear
- Check installation of driver’s floor mat

### After a Car Wash

- Check installation of driver’s floor mat

#### Washing and Cleaning Precautions

When washing and cleaning your vehicle, follow the precautions indicated in the *Owner’s Manual* and the publication entitled *Inside the LFA* (both found in your glove compartment). If these precautions are not followed, the vehicle may be damaged.

## Maintenance Interval

Lexus recommends that you obtain maintenance for your vehicle every 12 months or 6,000 miles, whichever occurs first.

## Ensuring That All Recommended Maintenance is Performed

Recommended maintenance by interval is detailed in the maintenance schedule on pages 52–71. This maintenance includes:

- General maintenance (performed at every service interval; see page 49)
- Interval-specific maintenance (performed at the time or mileage interval indicated, whichever occurs first; see page 50)
- Road test (performed at every service interval; see page 51)
- All additional maintenance items for your current time/mileage interval

## Follow All Recommendations

Make sure to follow all maintenance recommendations for the LFA, including:

### Engine Oil and Filters

Replace engine oil and oil filters at 24 months, or at 6,000 miles, or when the “OIL MAINTENANCE REQUIRED” message is displayed on the meter, whichever comes first. If engine oil needs replacement, replace with SAE 5W-50 Mobil 1. If this oil is not available, another oil of equivalent quality may be used. If an alternate oil is used, do not start the engine if the engine coolant or oil temperature is below 5° F (-15° C), and do not drive the vehicle under extreme load conditions. When engine oil and oil filters are replaced, reset oil-maintenance display reminder.

### Brake Pads

Replace brake pads when a minimum thickness of 2.0 mm is measured or when “BRAKE PAD WEAR” is displayed on the meter, whichever occurs first. Replace parking brake pads when a minimum thickness of 1.5 mm is measured.

## General Maintenance

The items in this box should be performed at every maintenance interval.

### General Maintenance

*Perform at every maintenance interval.*

Make sure to also perform all items recommended for your current time/mileage interval. See pages 52-71.

- ☐ Inspect engine oil level with engine hot and vehicle parked on level surface, using the meter display (if oil needs to be added, use SAE 5W-50 Mobil 1\*)
- ☐ Inspect brake fluid level (if fluid needs to be added, use SAE J1703 or FMVSS No. 116 DOT 3)
- ☐ Inspect engine coolant level with engine cold (if coolant needs to be added, use Toyota Genuine Super Long-Life Coolant - pink)
- ☐ Inspect engine compartment and passenger cabin for fumes or unusual sounds from exhaust system
- ☐ Inspect condenser and clear any foreign objects
- ☐ Inspect battery terminals for corrosion and check for loose connections, cracks or loose clamps
- ☐ Inspect accelerator pedal for smooth movement
- ☐ Inspect brake pedal for smooth movement, clearance from floor and freeplay
- ☐ Inspect interior indicators/buzzers for proper operation
- ☐ Inspect all lights to make sure they come on
- ☐ Inspect seat belts to make sure they operate smoothly and have no damage
- ☐ Inspect seat controls to make sure they operate properly
- ☐ Inspect doors to make sure they operate smoothly
- ☐ Inspect engine hood-lock system
- ☐ Check for any fluid leakage after vehicle has been parked
- ☐ Inspect tires for damage and excessive wear and adjust tire pressures
- ☐ Inspect wheel-bolt torque (81 ft•lb, 110 N•m, 11.2 kgf•m)
- ☐ Inspect washer fluid level
- ☐ Check installation of driver's floor mat

*\*If this oil is not available, another oil of equivalent quality may be used. If an alternate oil is used, do not start the engine if the engine coolant or oil temperature is below 5° F (-15° C), and do not drive the vehicle under extreme load conditions.*

## WHAT MAINTENANCE SHOULD BE PERFORMED

### Interval-Specific Maintenance

The items in this box should be performed at the time or mileage interval

indicated, whichever occurs first. If no time interval is indicated, items should be performed at the mileage indicated.

#### Interval-Specific Maintenance

*Perform at the time or mileage interval indicated, whichever occurs first.*

Make sure to also perform all items recommended for your current time/mileage interval. See pages 52-71.

<input type="checkbox"/> Replace engine oil and oil with SAE 5W-50 Mobil 1*; replace oil filters; reset oil-maintenance reminder light	Every 24 months, or at 6,000 miles, or when the "OIL MAINTENANCE REQUIRED" message is displayed on the meter, whichever occurs first
<input type="checkbox"/> Inspect exhaust pipes and mountings	Every 12 months/12,000 miles
<input type="checkbox"/> Inspect steering linkage and rack-and-pinion unit	Every 12 months/12,000 miles
<input type="checkbox"/> Inspect suspension ball joint and dust cover	Every 12 months/12,000 miles
<input type="checkbox"/> Visually check rear transaxle for leaks	Every 12 months/12,000 miles
<input type="checkbox"/> Inspect front and rear suspension	Every 12 months/12,000 miles
<input type="checkbox"/> Torque front side member retaining bolts, seat-mounting bolts, front suspension member retaining bolts and rear suspension member retaining bolts	Every 12 months/12,000 miles
<input type="checkbox"/> Replace air conditioner filter	Every 24 months/18,000 miles
<input type="checkbox"/> Inspect engine cooling and heater system	Every 24 months/18,000 miles
<input type="checkbox"/> Inspect fuel tank cap and cap gasket, fuel lines, connections and fuel vapor control valve	Every 24 months/18,000 miles
<input type="checkbox"/> Visually check clutch and shift hydraulic system for fluid leaks	Every 24 months/18,000 miles
<input type="checkbox"/> Replace brake fluid with SAE J1703 or FMVSS No. 116 DOT 3	Every 24 months/18,000 miles
<input type="checkbox"/> Inspect brake lines and hoses	Every 24 months/18,000 miles
<input type="checkbox"/> Replace rear transaxle oil with gear oil LT, API: GL-5	Every 48 months/24,000 miles
<input type="checkbox"/> Inspect engine drive belt	Initially at 48 months/60,000 miles, then every 12 months/ 12,000 miles thereafter
<input type="checkbox"/> Replace spark plugs with Denso PK22HTBR-L8	Every 60,000 miles
<input type="checkbox"/> Replace engine coolant with Toyota Genuine Super Long-Life Coolant - pink	Initially at 100,000 miles, then every 50,000 miles thereafter

\*If this oil is not available, another oil of equivalent quality may be used. If an alternate oil is used, do not start the engine if the engine coolant or oil temperature is below 5°F (-15°C), and do not drive the vehicle under extreme load conditions.

### Road Test

The items in this box should be performed at every maintenance interval.

#### Road Test

*Perform at every maintenance interval.*

Make sure to also perform all items recommended for your current time/mileage interval. See pages 52-71.

- ☐ Check installation of driver's floor mat
- ☐ Check that parking brake holds vehicle when vehicle is parked on slope
- ☐ Check that accelerator pedal moves smoothly
- ☐ Check that brake pedal moves smoothly
- ☐ Check steering operation: Steering wheel operates smoothly, correct freeplay, no unusual sounds
- ☐ Check brake operation: Pull, effectiveness, pedal feel, brake-light operation
- ☐ Road test vehicle long enough to check engine operation while cold and hot
- ☐ Check transmission, both automatic and manual modes
- ☐ Check for any fluid leakage after vehicle has been parked

RECOMMENDED MAINTENANCE BY INTERVAL

12 Months or 6,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 24 Months or 12,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

36 Months or 18,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_

\_\_\_\_\_

NameTitle

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*



## RECOMMENDED MAINTENANCE BY INTERVAL

### 48 Months or 24,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Replace engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

60 Months or 30,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 72 Months or 36,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

84 Months or 42,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 96 Months or 48,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Replace engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

108 Months or 54,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 120 Months or 60,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

132 Months or 66,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*



## 144 Months or 72,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Replace engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

156 Months or 78,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_

\_\_\_\_\_

NameTitle

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 168 Months or 84,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

180 Months or 90,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_

\_\_\_\_\_

NameTitle

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 192 Months or 96,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Replace engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

204 Months or 102,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_

\_\_\_\_\_

NameTitle

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when “BRAKE PAD WEAR” is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

## RECOMMENDED MAINTENANCE BY INTERVAL

### 216 Months or 108,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

RECOMMENDED MAINTENANCE BY INTERVAL

228 Months or 114,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_

\_\_\_\_\_

Name Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*



## RECOMMENDED MAINTENANCE BY INTERVAL

### 240 Months or 120,000 Miles

- ☐ Perform general maintenance (see page 49)
- ☐ Perform interval-specific maintenance (see page 50)
- ☐ Test radiator cap
- ☐ Replace engine air filters
- ☐ Inspect battery charge (12.6–12.8 V)
- ☐ Visually inspect brake calipers and surfaces of brake pads and rotors
- ☐ Measure thickness of brake pads, parking-brake pads and rotors; measure rotor runout\*
- ☐ Inspect axle shaft boots
- ☐ Inspect undercarriage
- ☐ Inspect lights, horn, wipers and washers
- ☐ Perform road test (see page 51)

#### Notes:

Date: \_\_\_\_\_

Mileage in: \_\_\_\_\_ Mileage out: \_\_\_\_\_

Service performed by:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Title

*\*Replace brake pads when a minimum thickness of 2.0 mm is measured or when "BRAKE PAD WEAR" is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.*

The following descriptions are provided to give you a better understanding of a few of the maintenance items that should be performed on your vehicle. The scheduled maintenance log indicates at which time/mileage intervals each item should be performed. Please note that many maintenance items should be performed only by a qualified technician.

For further information on maintenance for your vehicle, see the “Maintenance” section of your *Owner’s Manual*.

### Air Conditioner Filter

Replace at specified intervals. More frequent replacement may be required when driving in dusty conditions, heavy traffic areas, urban areas, desert areas or dirt roads. Refer to your *Owner’s Manual* for service details.

### Brake Pads

Replace brake pads when a minimum thickness of 2.0 mm is measured or when “BRAKE PAD WEAR” is displayed on the meter, whichever occurs first. Replace parking-brake pads when a minimum thickness of 1.5 mm is measured.

### Driver’s Floor Mat

- Only use the driver’s floor mat designed specifically for the LFA, such as Genuine Lexus floor mats.
- When installing the LFA-specific floor mat, ensure that the front edge of the floor mat is securely inserted under the heel stopper. After inserting the front edge of the floor mat securely under the heel stopper, fix the rear edge of the floor mat to the carpet using the retaining hooks (clips). If the LFA-specific floor mat is not properly installed and securely fixed in place, it may interfere with operation of the pedals and increase the risk of an accident.
- Never install another floor mat on top of the existing driver’s floor mat.
- Never install the driver’s floor mat upside down.
- Never use the passenger-side floor mat on the driver’s side.

### Engine Coolant

When inspecting, visually check the engine coolant level on the see-through reservoir. Add coolant as necessary. When replacing, drain the cooling system and refill with coolant. Always use Genuine Toyota Super Long-Life Coolant or similar high-quality non-silicate, non-amine, non-nitrate, non-borate ethylene-glycol coolant with long-life hybrid organic acid technology (i.e., a combination of low phosphates and organic acids). Check that the radiator is not blocked with leaves, dirt or insects and clean if necessary. Also check the hose connection for corrosion or other conditions. A qualified technician should perform these operations.

**Note:** Initial replacement is at 100,000 miles. Replace every 50,000 miles thereafter.

### Engine Oil and Filter

Replace engine oil and oil filters at 24 months, or at 6,000 miles, or when the "OIL MAINTENANCE REQUIRED" message is displayed on the meter, whichever occurs first. When engine oil and oil filters are replaced, reset the oil maintenance display reminder.

Replace oil with SAE 5W-50 Mobil 1. If this oil is not available, another oil of equivalent quality may be used. If an alternate oil is used, do not start the engine if the engine coolant or oil temperature is below 5° F (-15° C), and do not drive the vehicle under extreme load conditions.

### Tire-Pressure Warning Sensors

A tire-pressure sensor is mounted on each wheel. These sensors do not require periodic maintenance. When a sensor's long-life lithium battery becomes discharged, the battery should be replaced by a qualified technician following procedures in Lexus service and repair publications.





## VEHICLE IDENTIFICATION

In-service date \_\_\_\_\_

Mileage at delivery \_\_\_\_\_

Selling dealership \_\_\_\_\_

Selling dealership phone number \_\_\_\_\_

Vehicle Identification Number \_\_\_\_\_

# Owner Information Change Form

Check one:

- ☐ Same owner, name and/or address changed
- ☐ Same owner, additional driver who should receive product/safety updates
- ☐ New owner, purchased vehicle used from a Lexus dealership on this date: \_\_\_\_\_
- ☐ New owner, purchased vehicle used from other than a Lexus dealership on this date: \_\_\_\_\_

FBC

Today's date: \_\_\_\_\_ Mo. \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_

Vehicle Identification Number (required to process change)

☐ Mr. ☐ Mrs. ☐ Ms. ☐ Miss ☐ Dr.

First name

M.I.

Last name

Company name

Check here if address below is for company: ☐

Street address or P.O. Box

Apt. or suite number

City

State

Zip code

Primary phone number


Secondary phone number

E-mail address: \_\_\_\_\_


If your name or address has changed or if you purchased your Lexus as a used vehicle, please complete and mail one of the attached cards, even if your warranty coverage has expired. This will enable Lexus to contact you with important product or safety updates concerning your vehicle. If there is no longer a card attached, please call the Lexus Customer Satisfaction Department at (800) 255-3987.

This information is obtained solely for the use of Lexus. Lexus occasionally sends special promotional offers to registered owners. Check here if you prefer not to receive these offers. ☐





NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES



# BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 449 TORRANCE, CA

POSTAGE WILL BE PAID BY THE ADDRESSEE

LEXUS  
L202  
ATTN: CUSTOMER SATISFACTION  
PO BOX 2991  
TORRANCE CA 90509-9975





# Owner Information Change Form

Check one:

- ☐ Same owner, name and/or address changed
- ☐ Same owner, additional driver who should receive product/safety updates
- ☐ New owner, purchased vehicle used from a Lexus dealership on this date: \_\_\_\_\_
- ☐ New owner, purchased vehicle used from other than a Lexus dealership on this date: \_\_\_\_\_

FBC

Today's date: \_\_\_\_\_ Mo. \_\_\_\_\_ Day \_\_\_\_\_ Year \_\_\_\_\_

Vehicle Identification Number (required to process change)

☐ Mr. ☐ Mrs. ☐ Ms. ☐ Miss ☐ Dr.

First name

M.I.

Last name

Company name

Check here if address below is for company: ☐

Street address or P.O. Box

Apt. or suite number

City

State

Zip code

Primary phone number

Secondary phone number

E-mail address: \_\_\_\_\_

If your name or address has changed or if you purchased your Lexus as a used vehicle, please complete and mail one of the attached cards, even if your warranty coverage has expired. This will enable Lexus to contact you with important product or safety updates concerning your vehicle. If there is no longer a card attached, please call the Lexus Customer Satisfaction Department at (800) 255-3987.

This information is obtained solely for the use of Lexus. Lexus occasionally sends special promotional offers to registered owners. Check here if you prefer not to receive these offers. ☐





NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

# BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 449 TORRANCE, CA

POSTAGE WILL BE PAID BY THE ADDRESSEE

LEXUS  
L202  
ATTN: CUSTOMER SATISFACTION  
PO BOX 2991  
TORRANCE CA 90509-9975





